

## Metabo KGS305M - Slide Comp Mitre Saw 2000W 305mm TCT Blade Cutting Cap 305 x 105mm



### Product Description

---

#### Features

- Enormous cutting performance due to extremely powerful universal motor and large saw blade
- Sliding function for wide work pieces.
- Compact light weight, suitable also for one-handed transport
- Robust die-cast aluminium design for the highest demands
- Easy transport thanks to ergonomically-designed handles and saw head lock
- Effective dust extraction via integrated dust scoop
- Starting current limitation prevents the actuation of the lock on start-up
- Fast and precise setting of common angles using stop points
- Laser for exact display of the cutting line (mains powered, no batteries required)
- Adjustable and extendable table width extensions, removable to put long panels, slabs etc. underneath
- Bright LED work light for illumination of the cutting line (mains powered, no batteries required)
- Sliding high rear fence profiles for safe sawing
- Material clamp for secure fixing of the work piece from the top or front
- Depth guide for easy creation of grooves
- Saw head can be inclined to the left, with additional angle range for undercuts
- All scales and operating elements are visible from the working position and can be operated intuitively
- Easy saw blade change by means of spindle lock: No dismantling of the pendulum guard required

#### Specifications

- Dimensions: 850 x 515 x 615 mm / 33 15/32 x 20 9/32 x 24 7/32 " mm
- Support surface: 340 x 775 mm
- Maximum cutting width 90°/45°: 305 / 205 mm // 12 / 8 1/16 " mm
- Maximum cutting depth at 90°/45°: 105 / 67 mm // 4 1/8 / 2 5/8 " mm
- Cutting capacity 90°/90°: 305 x 105 mm / 12 x 4 1/8 " mm
- Cutting capacity 45°/45°: 205 x 67 mm / 8 1/16 x 2 5/8 " mm
- Turntable setting left/right: 47 / 47 °
- Saw blade tilt left/right: 47 / 2 °
- Saw blade: 305 x 30 mm / 12 x 1.181 " mm
- Rated input power S1 100%: 1600 W
- Rated input power S6 20%: 2000 W
- No-load speed: 3700 rpm
- Revolutions at rated load: 2600 rpm
- Cutting speed: 60 m/s / 197 ft/s m/s
- Weight: 19.6 kg / 43.2 lbs kg
- Cable length: 2 m / 7 ft m
- Noise emission
  - Sound pressure level: 97 dB(A)
  - Sound power level (LwA): 104 dB(A)
  - Uncertainty of measurement K: 3 dB(A)

**Includes**

- Carbide saw blade (56 teeth)
- Material clamp
- Tool for saw blade change
- Cable winder
- Chip Collection Bag
- 2 Table length extensions
- Length Guide