

## Festool CTM MIDI E FS - M Class Dust Extractor CT MIDI 151



### Product Description

Low weight, compact dimensions and a host of innovative details – the new CTM MIDI compact extractor impresses in all aspects and now even extracts dust from dust class M. It has intuitive touch operation, a smooth suction hose and a level storage area for tools and consumables. Manual dedusting and being able to replace the main filter from the outside ensure long-lasting work that protects your health. Includes integrated Bluetooth® technology – the mobile dust extractor is automatically started by the Bluetooth® battery pack or by the remote control. Also has an internal hose holder, SYSTAINER T-LOC connection and practical cord holder for tidiness and speed. All this together conveniently ensures clean air during service and installation work.

### Features

- **Integrated Bluetooth® technology** - Automatically switch on your CT MIDI extractor via remote control or the Bluetooth® battery pack. No retrofitting required. See how here.
- **Touch operation** - The innovative and intuitive touch control panel makes it extremely simple to operate, even when wearing gloves or in a dirty environment. The extractor is set to automatic mode as soon as it is switched on.
- **Everything has its place** - The large internal hose holder and external cable wrap makes storing the smooth suction hose and cable safe and clean for transportation.
- **Manual cleaning** - Manual dedusting of the main filter and filter bag means the suction power can be restored once the filter or filter bag is inserted for a significant increase in filling capacity.
- **Filter replacement from outside** - Filters are now replaced from the outside of the dust extractor. Quick, easy and tool free.
- **Transport Safe** - The integrated locking brake means that the dust extractor is secured against rolling away during work or transport.
- **Automatic suction hose detection** - Automatically adjusts to the correct suction hose diameter.
- **For dusts in class M** - The extractor is approved for hazardous dusts in dust class M with limit values  $\geq 0.1 \text{ mg/m}^3$ , making it suitable for extracting wood dusts and mineral dusts.
- **Easy handling** - The compact, ergonomic design and low weight make the extractor particularly easy to transport.
- **Telescopic handle** - For even better mobility on the construction site – The sophisticated design allows cleaning accessories to be stored and can be easily lowered when not in use (handle available as an accessory).
- **More tidiness** - Thanks to externally fitted cord holder with folding mechanism.
- **Full usage of space** - The sophisticated container geometry and space-saving flat filter ensure maximum utilisation of the 15 l container volume.

## **Includes**

- Main Filter
- SELFCLEAN Filter Bag
- Bluetooth® Technology
- Remote Switch On for Cordless Tools
- Antistatic Suction Hose D27/32x3.5 m
- Basic Cleaning Set
- Integrated Hose Garage
- Cable Wrap
- SYS-Dock with T-LOC Function
- Tool Manual

## **Specifications**

- Maximum Airflow (litres per minute): 3,700 l/min
- Maximum Vacuum (Pa): 24,000 Pa
- Filter Surface Area (cm<sup>2</sup>): 3,369 cm<sup>2</sup>
- Container/Filter Bag Capacity (litres): 15 L / 12.5 L
- Power Consumption (W or kW): Maximum 1,200 W
- Auto Clean Function (Yes/No): No
- Dust Approval Rating: Dust Class M - medium risk dust such as mineral and wood dust
- Mains Cable: Rubber Insulated
- Mains Cable Length (m): 7.5 m
- Dimensions - L x W x H (mm): 470 x 320 x 430 mm
- Weight (kg): 11.3 kg

## **Applications**

- For hazardous wood dust and mineral dust from dust class M with limit values  $\geq 0.1 \text{ mg/m}^3$
- On-site extraction for electric power tools for minor or brief sanding, routing, sawing and drilling work
- Ideal for mobile use in service and installation work and for final cleaning
- Suitable for both wet and dry extraction (special wet filter required for wet extraction)