

Metabo KHE3251 - Rotary Hammer 32mm 800W 32mm Safety Clutch SDS+ with 13mm KLC Constant Torque



Product Description

Features

- Combination hammer with 3 functions: hammer drilling, drilling and chiselling
- Metabo Quick: quick change between SDS Plus hammer chuck and keyless chuck for drilling in wood and metal
- Metabo VibraTech (MVT): integrated damping system and side handle to reduce vibrations in order to protect the user's health
- Ergonomic housing shape for chiselling tasks without side handle
- Vario (V)-Electronics for working at customised speeds to suit various application materials
- Metabo Marathon-motor with dust protection for long service life
- High performance hammer action, precisely mounted in a housing made of aluminium alloy: long-lasting and robust
- Metabo S-automatic safety clutch: mechanical decoupling of the drive for safe working should the drill stop unexpectedly
- Cable-protecting ball joint for optimal freedom of motion when working

Specifications

- Max. single blow energy (EPTA): 3.1 J
- Maximum impact rate: 4470 bpm
- Rated input power: 800 W
- Drill-Ø concrete with hammer drills: 32 mm / 1 1/4 "
- Drill-Ø masonry with core bits: 82 mm / 3 1/4 "
- Drill Ø steel: 13 mm / 1/2 "
- Drill-Ø soft wood: 35 mm / 1 3/8 "
- No-load speed: 0 - 1150 rpm
- Revolutions at rated load: 920 rpm
- Bit retainer: SDS-plus
- Collar diameter: 50 mm / 1 31/32 "
- Weight (without power cable): 3.6 kg / 7.9 lbs
- Cable length: 4 m / 13 ft
- Vibration
 - Hammer drilling concrete: 12.9 m/s²
 - Uncertainty of measurement K: 1.5 m/s²
 - Chiseling: 10.9 m/s²
 - Uncertainty of measurement K: 1.5 m/s²
- Noise emission
 - Sound pressure level: 91 dB(A)
 - Sound power level (LwA): 102 dB(A)
 - Uncertainty of measurement K: 3 dB(A)

Includes

- Hammer chuck for tools with SDS-plus shank end
- Keyless chuck for tools with cylindrical shank
- Metabo VibraTech (MVT) side handle

- Drilling depth guide
- Plastic carry case