

Metabo WEA17-125Q - Angle Grinder 125mm 1700W Quick Nut Safety Clutch Auto Balancer Constant Torque



Product Description

Features

- Maximum productivity: 1,700 Watt angle grinder with the power of a large grinder and the compactness of a small one for quickest material removal on industrial applications
- Longer service life, more power: the Metabo Marathon-motor with patented dust protection, up to 20% more overload capacity and 50% more torque
- Tacho Constamatic (TC) Full-wave Electronics: fast work progress by means of constant speed under load
- Tool free, fast disc change at the touch of a button with the Metabo M-Quick-System
- Tool-free adjustable guard; twist-proof
- Low-vibration side handle Metabo VibraTech (MVT)
- Best anti-vibration system: integrated auto-balancer for up to 50% less hand-arm vibrations, longer service life of the machine and up to twice the service life of the grinding wheels
- Metabo S-automatic mechanical safety clutch: minimises kick-back to the lowest level when the disc jams unexpectedly for maximum user safety and swift progress
- Electronic overload protection, soft start and restart protection
- Gear housing can be unscrewed, rotated in 90° steps and remounted for left-handed operation or cutting
- Auto-stop carbon brushes to protect the motor

Specifications

- Grinding wheel Ø: 125 mm / 5 "
- Rated input power: 1700 W
- Output power: 1040 W
- No-load speed: 11000 rpm
- Revolutions at rated load: 11000 rpm
- Torque: 3.7 Nm / 33 in-lbs
- Spindle thread: M 14
- Weight (without power cable): 2.5 kg / 5.5 lbs
- Cable length: 4 m / 13 ft
- Vibration
 - Surface grinding: 4 m/s²
 - $\circ~$ Uncertainty of measurement K: 1.5 m/s^2
 - Grinding with sandpaper: 3 m/s²
 - $\,\circ\,$ Uncertainty of measurement K: 1.5 m/s^2
- Noise emission
 - $\,\circ\,$ Sound pressure level: 93 dB(A)
 - $\circ~$ Sound power level (LwA): 104 dB(A)
 - $\,\circ\,$ Uncertainty of measurement K: 3 dB(A)

Includes

• Guard

- Inner support flange
- M-Quick flange nut
- Metabo VibraTech (MVT) side handle